



Key Features



Name	FTP 120 model version 2.0
Version	Instant
Branding	NESCAFÉ®
Manufacturer	Rheavendors Industries SPA

Overview

- NESCAFÉ FTP 120 is the updated machine model from Q2 2020. This is a high capacity machine that offers a wide variety of professional and high quality beverages. With a 7 litre and 2700 W boiler, this machine can manage high peak rates for high volume locations. It comes with a new tinted panel design that puts more emphasis on the menu selections. This update includes an Easy Exchange labeling system, making it simpler for you to add/ remove new beverage labels). An Adjustable cup stand has been introduced to accommodate different Cup heights. The machine can additionally be configured with the following options:
 - Side Hot Water Outlet

Dimensions (Footprint)

Standard canisters version

Height	60.0 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	29.5 Kg
Weight (Gross)	32.0 Kg

Taller canisters version

Height	67.2 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	29.5 Kg
Weight (Gross)	32.0 Kg

Dispense Area

Maximal height	14.6 cm
- with recessed drip tray installed:	17.0 cm
Maximal diameter	Cup station open

Beverage Processing

Configurations:	A, G, C, H, E, I
Number of canisters	Max 6
Type canisters	
- Standard canisters	
- Taller canisters	
Number of mixers	3
Power Consumption	2700 W
Boiler capacity	7 Lt
Direct Hot Water	Yes (Standard)
Side separated hot water	Optional
Autonomous Water Tank	NA (To be evaluated best possible alternative: immersion pump KIT or service module with tank)
Water network connection	Yes
Auto clean/rinse facility	Yes
Front display	3.5"

Technical Interface

Voltage	230 V
Frequency	50/60 Hz
Plug	16A
Water connection	3/8 gas
Water pressure	0.1-0.8 MPa
Telemetry connection	SW for NP telemetry
Manual languages	English (Printed format) Digital format available in Italian, French, Spanish and German Other languages to specify (Additional cost is applied)

Customer Interface

Payment system	NA (in case needed market can order separately: module on change giver)
RFID	Optional
Supported protocol	Parallel/EXE/ MDB
Display	Yes, Touch Panel
Menu Languages	English (Standard) Other Languages: Refer to Getting Ready document (Additional cost is applied)
Number of selections	12
Number of preselections	Depending on configuration
Selection labels	Locally managed

Branding

Colors and branding	NESCAFÉ® Black
Panels	Nescafé branded

Nestlé specific information

Certifications	CE-CB (Or other to specify)
Packing labels	Standard (Or other to specify)

* Information not available when document created. Will be added in later version

Document No.	Date: 06.2020
Ref: Table Top/FTP120 v.2 /Dispenser	Target: Basic Handling
	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.




Key Features

Accessories

- Top + unibase cabinet spacer
- Unibase cabinet shelf metal
- Immersion pump kit
- modulon - Cups LD/LD/C80/C80
- modulon - Water W/W-L or W/W-R
- modulon - Change giver
- Unibase metal cabinet
- Recessed drip tray
- Side panel advertisement


Standard configurations

- **Configuration A0:**
 - 4 instant canisters, 3 mixers, hot water.



MENU			
1	Espresso	7	Moccaccino
2	Lungo	8	Chocolate
3	Macchiato	9	Strong Chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Decaffeinated
6	Latte Macchiato	12	Hot Water

- **Configuration G0:**
 - 4 instant canisters, 3 mixers, hot water, side separated hot water



MENU			
1	Espresso	7	Moccaccino
2	Lungo	8	Chocolate
3	Macchiato	9	Strong Chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Decaffeinated
6	Latte Macchiato	12	Hot Water


Default features

- Tinted Panels
- Adjustable Cup Stand
- New Fusion 2 firmware
- Color coding of pipes

Optional features


- Side Hot Water Outlet

- **Configuration C0:**
 - 5 instant canisters, 3 mixers, hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Strong chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Tea
6	Latte macchiato	12	Hot Water

- **Configuration H0:**
 - 5 instant canisters, 3 mixers, hot water, side separated hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Strong chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Tea
6	Latte macchiato	12	Hot Water


* Information not available when document created. Will be added in later version



Key Features

Standard configurations


• Configuration E0:



MENU			
1	Espresso	7	Chocolate
2	Lungo	8	Strong Chocolate
3	Short White Coffee	9	Chocomilk
4	Cappuccino	10	Tea 1
5	Milk	11	Tea 2
6	Mocha	12	Hot Water

• Configuration I0:

- 6 instant canisters, 3 mixers, hot water, side separated hot water.



MENU			
1	Espresso	7	Chocolate
2	Lungo	8	Strong Chocolate
3	Short White Coffee	9	Chocomilk
4	Cappuccino	10	Tea 1
5	Milk	11	Tea 2
6	Mocha	12	Hot Water

4. NESCAFÉ® (Tall canisters)



* Information not available when document created. Will be added in later version



Key Features

Dimensions - Standard canisters

Boxed machine (1 machine & outer cartons)

Height	67.4 cm
Depth	59.4 cm
Width	45.4 cm

Sea freight Palletized Dimensions (1 pallet – 12 units)

Height	217.2 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 12 units)	120 units
40' (22 pallets x 12 units)	264 units
40' High Cube (22 pallets x 12 units)	264 units

Airfreight Palletized Dimensions (1 pallet – 8 units)

Height	149.8 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 12 units	336 units
-----------------------	-----------

Dimensions - Taller canisters

Boxed machine (1 machine & outer cartons)

Height	77.9 cm
Depth	59.4 cm
Width	45.4 cm

Sea freight Palletized Dimensions (1 pallet – 8 units)

Height	170.8 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 8 units)	80 units
40' (22 pallets x 8 units)	176 units
40' High Cube (22 pallets x 8 units)	176 units

Airfreight Palletized Dimensions (1 pallet – 4 units)

Height	92.9 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 8 units	224 units
----------------------	-----------

Document No.	Date: 06.2020	
Ref: Table Top/FTP120 v.2 /Dispenser	Target: Basic Handling	Topic: Commercial