



# Key Features



<b>Name</b>	<b>FTP 30 - version 2.0</b>
<b>Version</b>	<b>Instant</b>
<b>Branding</b>	<b>NESCAFÉ®</b>
<b>Manufacturer</b>	<b>Rheavendors Industries SPA</b>

## Overview

- This is our entry level machine model designed for soluble ingredients that can deliver great quality coffee, cup after cup, allowing you to target a wider consumer range to drive more cup sales.

It comes with a new tinted panel design that puts more emphasis on the menu selections. This update includes an Easy Exchange labeling system, making it simpler for you to add/ remove new beverage labels. An Adjustable cup stand has been introduced to accommodate different Cup heights.

The machine can additionally be configured with the following options:

- Side Hot Water Outlet

## Dimensions (Footprint)

Height	56.65 cm
Depth	54.40 cm
Width	31.80 cm
Weight (Net)	23 kg
Weight (Gross)	26 kg

## Dispense Area

Maximal height	14.1 cm
Maximal diameter	Cup station open

## Beverage Processing

Configurations:	A, F, B, G, C, H, D, I, E or J
Number of canisters	3, 4 or 5
Type of canister	Standard
Number of mixers	2 or 3
Power Consumption	1400 W
Boiler capacity	2.2 Lt
Direct Hot Water	Yes Standard (Not possible in the configuration 5 canisters/ 3 mixers)
Side separated hot water	Optional
Auto clean/rinse facility	Yes
Front display	3,5"
Version	Plumbed / Unplumbed (Available only the configuration: 3 canisters/2 mixers)

## Technical Interface

Voltage	230 V
Frequency	50/60 Hz
Plug	10A
Water connection	3/8 gas
Water pressure	0.1-0.8 MPa
Telemetry connection	SW for NP telemetry
Manual languages	English (Printed format) Digital format available in Italian, French, Spanish and German Other languages to specify (Additional cost is applied)

## Customer Interface

Payment system	NA (in case needed market can order separately: module on change giver)
RFID	Optional
Supported protocol	Parallel/EXE/ MDB
Display	Touch Panel
Menu Languages	English (Standard) Other Languages: Refer to Getting Ready document (Additional cost is applied)
Number of selections	12
Number of preselections	Depending on configuration
Selection labels	Locally managed

## Branding

Colors and branding	
- NESCAFÉ®	Black
Panels	Nestlé front panel

## Nestlé specific information

Certifications	CE-CB (Or other to specify)
Packing labels	Standard (Or other to specify)

\* Information not available when document created. Will be added in later version

Document No.	Date: 12.12.2019
Ref: Table Top/ FTP 30 v.2 /Dispenser	Target: Basic Handling
	Topic: Commercial



# Key Features


## Accessories

- Top + unibase cabinet spacer
- Unibase cabinet shelf metal
- Immersion pump kit
- modulon - Cups LD/LD/C80/C80
- modulon - Water W/W-L or W/W-R
- modulon - Change giver
- Unibase metal cabinet
- Side panel advertisement
- Back panel advertisement

## Standard configurations

### • Configuration A0:

- 3 instant canisters, 2 mixers, hot water, unplumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Mocha
4	Latte Macchiato	10	White Coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Hot Water

### • Configuration F0:

- 3 instant canisters, 2 mixers, hot water, side hot water, unplumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Mocha
4	Latte Macchiato	10	White Coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Hot Water

## Default features


- Tinted Panels, Easy Exchange labels
- Adjustable Cup Stand
- New Fusion 2 firmware
- Color coding of pipes

## Optional features

- Side Hot Water Outlet

### • Configuration B0:

- 3 instant canisters, 2 mixers, hot water, plumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Mocha
4	Latte Macchiato	10	White Coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Hot Water

### • Configuration G0:

- 3 instant canisters, 2 mixers, hot water, plumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Mocha
4	Latte Macchiato	10	White Coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Hot Water


\* Information not available when document created. Will be added in later version



# Key Features

### • Configuration C0:

- 4 instant canisters, 2 mixers, hot water, plumbed.



MENU		
1	Espresso	7 Chocomilk
2	Lungo	8 Decaffeinated
3	Macchiato	9 White Decaffeinated
4	Latte Macchiato	10 White Coffee
5	Cappuccino	11 Latte
6	Chocolate	12 Hot Water

### • Configuration H0:


- 4 instant canisters, 2 mixers, hot water, separated side hot water, plumbed.



MENU		
1	Espresso	7 Chocomilk
2	Lungo	8 Decaffeinated
3	Macchiato	9 White Decaffeinated
4	Latte Macchiato	10 White Coffee
5	Cappuccino	11 Latte
6	Chocolate	12 Hot Water

### • Configuration D0:

- 5 instant canisters, 3 mixers, plumbed.



MENU		
1	Espresso	7 Chocomilk
2	Lungo	8 Decaffeinated
3	Macchiato	9 White Decaffeinated
4	Latte Macchiato	10 White Coffee
5	Cappuccino	11 Latte
6	Chocolate	12 Tea

### • Configuration I0:

- 5 instant canisters, 3 mixers, side separated hot water, plumbed.



MENU		
1	Espresso	7 Chocomilk
2	Lungo	8 Decaffeinated
3	Macchiato	9 White Decaffeinated
4	Latte Macchiato	10 Latte
5	Cappuccino	11 Tea
6	Chocolate	12 Hot water


\* Information not available when document created. Will be added in later version



# Key Features

• **Configuration E0:**


- 3 instant canisters, 3 mixers, plumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong chocolate
3	Macchiato	9	Mocha
4	Latte macchiato	10	White coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Americano

• **Configuration J0:**

- 3 instant canisters, 3 mixers, plumbed.



MENU			
1	Espresso	7	Chocomilk
2	Lungo	8	Strong chocolate
3	Macchiato	9	Mocha
4	Latte macchiato	10	White coffee
5	Cappuccino	11	Latte
6	Chocolate	12	Hot water

## Dimensions

### Boxed machine (1 machine & outer cartons)

Height	60.9 cm
Depth	58.4 cm
Width	35.1 cm

### Sea freight Palletized Dimensions (1 pallet – 15 units)

Height	200.0 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 15 units)	150 units
40' (22 pallets x 15 units)	330 units
40' High Cube (22 pallets x 15 units)	330 units

### Airfreight Palletized Dimensions (1 pallet – 8 units)

Height	138.0 cm
Width	120.0 cm
Depth	94.0 cm

### Full Truck

28 pallets x 15 units	420 units
-----------------------	-----------