



Key Features



Name	FTP 60 - version 2.0
Version	Instant
Branding	NESCAFÉ®
Manufacturer	Rheavendors Industries SPA

Overview

- NESCAFÉ® FTP 60 version 2.0 is the updated machine model from Q2 2020.
- This is our mid-sized machine designed for soluble ingredients that can deliver great quality coffee, cup after cup, allowing you to target a wider consumer range to drive more cup sales.
- It comes with a new tinted panel design that puts more emphasis on the menu selections. This update includes an Easy Exchange labeling system, making it simpler for you to add/ remove new beverage labels. An Adjustable cup stand has been introduced to accommodate different Cup heights.
- The machine can additionally be configured with the following option:
 - Side Hot Water Outlet.

Dimensions (Footprint)

Standard canisters

Height	60.0 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	28.2 kg
Weight (Gross)	31.0 kg

Taller canisters

Height	67.2 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	29.0 kg
Weight (Gross)	32.0 kg

Dispense Area

Maximal height	14.6 cm
Maximal diameter	Cup station open

Beverage Processing

Configurations	A, I, B, J, C, K, E, L, G or M
Number of canisters	4, 5 or 6
Type of canisters	
- Standard canisters	
- Taller canisters	
Number of mixers	2 or 3
Power consumption	1700 W
Boiler capacity	3.4 Lt
Direct hot Water	Yes (std)
Side separated hot water	Optional
Water network connection	Yes/No
	(Depending of configuration)
Auto clean/rinse facility	Yes
Front display	3,5"
Version	Plumbed/Unplumbed
	(Available only in I4 A2 configuration)

Technical Interface

Voltage	230 V
Frequency	50/60 Hz
Plug	10A
Water connection	3/8 gas
Water pressure	0,1-0,8 MPa
Telemetry connection	SW for NP telemetry

Manual languages	English (Printed format) Digital format available in Italian, French, Spanish and German Other languages to specify (Additional cost is applied)
------------------	--

Customer Interface

Payment system	NA (in case needed market can order separately: module on change giver)
RFID	Optional
Supported protocol	Parallel/EXE/ MDB
Display	Yes, Touch Panel
Menu Languages	English (Standard) Other Languages: Refer to Getting Ready document (Additional cost is applied)

Number of selections	12
	(Number of preselections depending on configuration)

Selection labels	Locally managed
------------------	-----------------

Branding

Colors and branding	
- NESCAFÉ®	Black
Panels	Nestlé front panel

Nestlé specific information

Certifications	CE-CB (Or other to specify)
Packing labels	Standard (Or other to specify)

* Information not available when document created. Will be added in later version

Document No.	Date: 09.2019
Ref: Table Top/FTP60 v2.0/Dispenser	Target: Basic Handling
	Topic: Commercial



Key Features


Accessories

- Top + unibase cabinet spacer
- Unibase cabinet shelf metal
- Immersion pump kit
- modul<on - Cups LD/LD/C80/C80
- modul<on - Water W/W-L or W/W-R
- modul<on - Change giver
- Unibase metal cabinet
- Recessed Drip Tray
- Side Panel Advertisement
- Back Panel Advertisement

Standard configurations

• Configuration A0:

- 4 instant canisters, 2 mixers, hot water, plumbed



MENU			
1	Espresso	7	Latte Macchiato
2	Lungo	8	Mocaccino
3	Macchiato	9	Chocolate
4	Short White Coffee	10	Strong Chocolate
5	Cappuccino	11	Chocomilk
6	Latte	12	Hot Water

• Configuration I0:

- 4 instant canisters, 2 mixers, hot water, plumbed, side hot water



MENU			
1	Espresso	7	Latte Macchiato
2	Lungo	8	Mocaccino
3	Macchiato	9	Chocolate
4	Short White Coffee	10	Strong Chocolate
5	Cappuccino	11	Chocomilk
6	Latte	12	Hot Water

Default features

- Tinted Panels
- Easy Exchange labels
- Adjustable Cup Stand
- New Fusion 2 firmware
- Color coding of pipes

Optional features

- Side Hot Water Outlet

NESCAFÉ® Black (Tall canisters)



* Information not available when document created. Will be added in later version




Key Features

Standard configurations

• Configuration B0:

- 4 instant canisters, 2 mixers, hot water, unplumbed



MENU	
1 Espresso	7 Latte Macchiato
2 Lungo	8 Moccaccino
3 Macchiato	9 Chocolate
4 Short White Coffee	10 Strong Chocolate
5 Cappuccino	11 Chocomilk
6 Latte	12 Hot Water

• Configuration J0:


- 4 instant canisters, 2 mixers, hot water, unplumbed, side hot water



MENU	
1 Espresso	7 Latte Macchiato
2 Lungo	8 Moccaccino
3 Macchiato	9 Chocolate
4 Short White Coffee	10 Strong Chocolate
5 Cappuccino	11 Chocomilk
6 Latte	12 Hot Water

• Configuration C0:


- 4 instant canisters, 3 mixers, hot water



MENU	
1 Espresso	7 Moccaccino
2 Lungo	8 Chocolate
3 Macchiato	9 Strong Chocolate
4 Cappuccino	10 Chocomilk
5 Latte	11 Decaffeinated
6 Latte Macchiato	12 Hot Water

• Configuration K0:

- 4 instant canisters, 3 mixers, hot water, side hot water



MENU	
1 Espresso	7 Moccaccino
2 Lungo	8 Chocolate
3 Macchiato	9 Strong Chocolate
4 Cappuccino	10 Chocomilk
5 Latte	11 Decaffeinated
6 Latte Macchiato	12 Hot Water

* Information not available when document created. Will be added in later version




Key Features

Standard configurations

• Configuration E0:


- 5 instant canisters, 3 mixers, hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short White Coffee	9	Strong Chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Tea
6	Macchiato	12	Hot Water

• Configuration L0:


- 5 instant canisters, 3 mixers, hot water, side hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short White Coffee	9	Strong Chocolate
4	Cappuccino	10	Chocomilk
5	Latte	11	Tea
6	Latte Macchiato	12	Hot Water

• Configuration G0:


- 6 instant canisters, 3 mixers, hot water.



MENU			
1	Espresso	7	Chocolate
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Chocomilk
4	Short white coffee	10	Tea 1
5	Cappuccino	11	Tea 2
6	Latte	12	Hot Water

• Configuration M0:

- 6 instant canisters, 3 mixers, hot water, side hot water.



MENU			
1	Espresso	7	Chocolate
2	Lungo	8	Strong Chocolate
3	Macchiato	9	Chocomilk
4	Short white coffee	10	Tea 1
5	Cappuccino	11	Tea 2
6	Latte	12	Hot Water

* Information not available when document created. Will be added in later version



Key Features

Dimensions - Standard canisters

Boxed machine (1 machine & outer cartons)

Height	67.4 cm
Depth	59.4 cm
Width	45.4 cm

Sea freight Palletized Dimensions (1 pallet – 12 units)

Height	217.2 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 12 units)	120 units
40' (22 pallets x 12 units)	264 units
40' High Cube (22 pallets x 12 units)	264 units

Airfreight Palletized Dimensions (1 pallet – 8 units)

Height	149.8 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 12 units	336 units
-----------------------	-----------

Dimensions - Taller canisters

Boxed machine (1 machine & outer cartons)

Height	77.9 cm
Depth	59.4 cm
Width	45.4 cm

Sea freight Palletized Dimensions (1 pallet – 8 units)

Height	170.8 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 8 units)	80 units
40' (22 pallets x 8 units)	176units
40' High Cube (22 pallets x 8 units)	176 units

Airfreight Palletized Dimensions (1 pallet – 4 units)

Height	92.9 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 8 units	224 units
----------------------	-----------

Document No.	Date: 11.2019	
Ref: Table Top/FTP60 v2.0/Dispenser	Target: Basic Handling	Topic: Commercial